Prest-O-Lite

APPLIANCES AND SMALL TANKS

Prest-O-Lite air-acetylene torches and soldering irons are used in practically every industry for soldering, brazing and heating. They operate on Prest-O-Lite Gas, which is clean and free from smoke, soot and grime. They are always ready; there is no time lost when Prest-O-Lite equipment is used.

Regular users of Prest-O-Lite appliances include Plumbers — Garages — Tinsmiths — Electricians — Jewelers — Dentists — Battery Shops — Radio Shops — Factories — Light and Power Plants — Shipyards — Painters — Refrigeration and Air-Conditioning Firms — Laboratories.



5-in-1 Outfit

This outfit provides complete equipment for a wide range of operations—soldering copper pipes and fittings, splicing wire, thawing frozen pipes, sealing batteries, repairing radiators, straightening fenders, and other heating applications. Four interchangeable open-flame stems and a handy soldering copper are supplied.

The 5-in-1 Outfit includes the A-6058 Torch Handle with—

1. Stem 07R05 for very fine soldering and brazing.
2. Stem A-6086 for light soldering and brazing.
3. Stem A-6083 for medium soldering and brazing.
4. Stem A-6089 for heavy soldering and brazing.
5. Soldering Copper and Stem 10R87.

A-3879 B Tank Union, A-3881 MC Tank Union, L-6081 Wrench, 6 ft. of ¼-in. Z-54 Hose, two A-963 Hose Clamps, and metal carrying case.

O-6109 5-in-1 Outfit $9.00

09R76 5-in-1 Outfit Metal Case only 1.50



4-in-1 Outfit

This outfit has the same torch handle and open-flame torch stems as the 5-in-1 Outfit, but omits the soldering copper. It is used for the same range of operations as the 5-in-1—very fine, light, medium and heavy soldering, brazing and heating. The 4-in-1 Outfit is packed in a waterproof carrying case.

O-6343 4-in-1 Outfit $6.50

A-6342 4-in-1 Outfit Case only ..... .50



No. 1 Plumber's Outfit

Prest-O-Lite Plumber's Outfits are recommended by manufacturers of copper pipe and fittings. The small, intense torch flame can be focused exactly where it is needed. The heat can be applied evenly and without overheating. The No. 1 Plumber's Outfit is convenient equipment for making joints in copper pipe and fittings, for melting metal, and for brazing and heating operations. The pressure regulator holds the gas at a uniform working pressure, assuring economical gas consumption. The needle valve, which permits the gas supply to be adjusted at the torch handle, adds to the convenience of the outfit.

The No. 1 Plumber's Outfit includes A-6133 Torch with Needle Valve, 04P86 10-lb. Regulator, 15 ft. ¼-in. Z-54 Hose, and two A-963 Hose Clamps.

O-6131 No. 1 Plumber's Outfit $8.50



No. 2 Plumber's Outfit

The Prest-O-Lite No. 2 Plumber's Outfit contains the same size torch as that in the No. 1 Outfit. The torch has no needle valve but an extra large stem is included, increasing the range of the outfit to heavy soldering, brazing and heating. It is ideal for general-purpose use.

The No. 2 Plumber's Outfit includes A-6107 Torch, A-6086 Stem and Mixer Assembly, A-3879 B Tank Union, A-3881 MC Tank Union, 15 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps.

O-6132 No. 2 Plumber's Outfit $5.00

The word "Prest-O-Lite" is a registered trade-mark of a Unit of Union Carbide and Carbon Corporation.



05P76 Torch Outfit

This outfit is ideal for a wide range of work in many industries. The 5-lb. regulator supplied with it permits satisfactory operation of the torch with both torch and regulator needle valves wide open, yet does not prevent the use of larger torch stems.

05P76 Torch Outfit includes A-6133 Torch with Needle Valve, 04P85 5-lb. Regulator, 15 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps.

05P76 Torch Outfit **$8.50**



04P90 Torch Outfit

This outfit is for slightly heavier work than the 05P76 Outfit, since the stem supplied with it is one size larger. For medium to heavy work, this is an ideal outfit.

04P90 Torch Outfit includes A-6236 Torch Handle with Needle Valve, A-6083 Stem and Mixer Assembly, 04P86 10-lb. Regulator, 15 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps.

04P90 Torch Outfit **$8.50**



O-6115 Paint Burner Outfit

The O-6115 Paint Burner Outfit will remove paint from wood, steel, brick and similar materials. It leaves the surface clean and ready for resurfacing, with no acid to affect the new paint. The flame can be spread from ½ inch to 3 inches wide. The length of the flame can be varied from 1/16 to ¼ inch—according to the volume of heat required—by means of the needle valve on the handle. Painters, decorators, shipyards and dry docks find this outfit the most efficient way to remove paint.

The O-6115 Paint Burner Outfit includes A-6110 Paint Burner, 04P86 10-lb. Regulator, and two A-963 Hose Clamps.

O-6115 Paint Burner Outfit **$9.50**
(Hose is not included. Order Z-54 Hose in length desired.)



O-6119 O-6120

Lineman's Outfits

The O-6119 Lineman's Outfit is a combination of soldering copper and open-flame torch stem with an interchangeable torch handle and a handle for carrying an MC Tank. This compact assembly answers all requirements — soldering, brazing, splicing and similar operations — on wire, cables, transformers, switchboards, generators and lighting fixtures.

The O-6119 Lineman's Outfit includes 06P64 Soldering Iron, A-6085 Stem and Mixer Assembly, A-3321 Handle Assembly, A-3881 MC Tank Union, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps.

O-6119 Lineman's Outfit (tank not included) **$6.75**

The O-6120 Lineman's Outfit is ideal for use where open-flame work only will be encountered. It includes A-6103 Torch, A-3321 Handle Assembly, A-3881 MC Tank Union, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps.

O-6120 Lineman's Outfit (tank not included) **$4.50**

A-3321 MC Handle Assembly (shown on O-6119 and O-6120 Lineman's Outfits)... **1.25**



Handle turned out for hanging on cross arm



Handle turned in for carrying

04P92 Lineman's Outfit

This outfit is for light and power companies, telephone maintenance and construction crews, and other users requiring the standard Prest-O-Lite soldering iron in a portable assembly. For long-line soldering and similar heavy-duty work, the 04P92 Outfit is efficient in any weather.

The 04P92 Lineman's Outfit includes 05P51 Soldering Iron, 05P92 10-lb. Regulator, 09R13 MC Holder Assembly, A-4983 Wheel Key, 6 ft. of ¼-in. Z-54 Hose, and two A-953 Hose Clamps.

04P92 Lineman's Outfit (tank not included) **$16.00**

09R13 MC Holder Assembly (shown on 04P92 Lineman's Outfit)..... **5.00**

F-4420a P-11832 Printed in U.S.A.

Prest-O-Lite Torches and Outfits

A regulator must be used with any appliance which has a needle valve.

04P27 Torch

The 04P27 Torch is the smallest of the Prest-O-Lite open-flame torches. Jewelers especially find this torch invaluable for delicate soldering and heating operations on small objects.

04P27 Torch $2.50

04P26 Torch Outfit includes 04P27 Torch, A-3879 B Tank Union, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps.....$3.50



A-6103 Torch

The A-6103 Torch gives a flame slightly larger than the 04P27 Torch flame. It is popular with jewelers, toy manufacturers, and telephone repair men for fine soldering and heating.

A-6103 Torch $2.50

O-6111 Torch Outfit includes A-6103 Torch, A-3879 B Tank Union, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps..... 3.50

A-6104 Torch

The A-6104 Torch, for very fine soldering, heating and brazing, is the same as the A-6103 Torch except that it has a straight stem.

A-6104 Torch $2.50



A-6105 Torch

The A-6105 Torch, for light soldering, heating and brazing, is popular for making soldered wire splices and for similar light work.

A-6105 Torch $2.50

O-6112 Torch Outfit includes A-6105 Torch, A-3879 B Tank Union, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps..... 3.50



A-6133 Torch

The A-6133 Torch is the same as the A-6105 Torch except that it has a needle valve. It is widely used for joining sweat-type pipe fittings.

A-6133 Torch $4.00



A-6106 Torch

The A-6106 Torch, for medium soldering, brazing and heating purposes, is ideal for all general utility work such as sealing batteries and burning cable lugs, and for all ordinary open-flame work.

A-6106 Torch $2.50

O-6113 Torch Outfit includes A-6106 Torch, A-3879 B Tank Union, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps..... 3.50



A-6107 Torch

The A-6107 Torch produces a volume of heat about four times that of the A-6105 Torch, sufficient for thawing pipes, bending rods, straightening dented fenders, and similar work.

A-6107 Torch $2.50

O-6114 Torch Outfit includes A-6107 Torch, A-3879 B Tank Union, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps 3.50



02P94 Torch

This is the largest Prest-O-Lite open-flame torch. The stem has an orifice ⅜ inch in diameter and produces a large, bushy flame especially suitable for soldering the larger sizes of sweat-type pipe fittings.

02P94 Torch $2.75



A-6110 Paint Burner

The A-6110 Paint Burner is especially designed for removing paint from canvas, wood, metal, brick and other surfaces.

A-6110 Paint Burner $5.00



Body Soldering Outfit

This outfit can be operated on the same large cylinder of Prest-O-Lite dissolved acetylene that is used for welding. It includes an A-6236 Torch Handle with needle valve; four open-flame stem and mixer assemblies (07R05, A-6086, A-6083, and A-6089); 10R87 Soldering Copper and stem; 25 ft. of ¼-in. Z-54 hose; ¼-in. acetylene hose connection nipple and nut; hose clamps; an L-6081 Wrench; and a Y connection which attaches to any standard acetylene regulator and permits simultaneous operation of a welding outfit and the body soldering outfit.

When this outfit is used with a Prest-O-Lite B or MC tank, a Prest-O-Lite regulator must be attached to the tank valve.

04P30 Body Soldering Outfit....$14.50

All prices are subject to change without notice

Printed in U.S.A. F-4421a P-11832

Prest-O-Lite Soldering Irons and Torches

A regulator must be used with any appliance which has a needle valve.



Small Soldering Irons

These irons, supplied with the 5-in-1 Outfit, are of especial value to those who already own open-flame Prest-O-Lite torches, because the stem assembly and handle of these irons are interchangeable with stems and handles of all the torches shown on the preceding page. These soldering irons will be found useful for telephone switchboard, automotive, electrical, and radio work. Pointed-type and chisel-type coppers are available.

07P28 Soldering Iron with needle valve and pointed-type copper **$5.00**

06P64 Soldering Iron with pointed-type copper (without needle valve) **3.50**

05P47 Soldering Iron Outfit, including the 06P64 Soldering Iron, 04P86 10-lb. Regulator, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps **9.25**



A-3647 and 01P14 Torches

These torches use Prest-O-Lite Gas and compressed air to give a needle-point flame with a temperature of 3,300 deg. F. Jewelers and dentists employ them for melting gold and alloys. The A-3647 Torch may be used without compressed air to give a typical Prest-O-Lite torch flame. The 01P14 Torch, which has a slightly larger capacity, must always be used with compressed air.

A-3647 Torch (with No. 1 Mixer)..... **$7.50**

01P14 Torch (with No. 2 Mixer)..... **7.50**

O-3746 Torch Outfit includes A-3647 Torch, A-3879 B Tank Union, two 6-ft. lengths of ¼-in. Z-54 Hose, and four A-963 Hose Clamps **9.25**

01P15 Torch Outfit is the same as O-3746 Outfit except that it includes 01P14 Torch **9.25**



A-6100 and A-6101 Torches

A-6100 Torch, for light soldering, heating and brazing, has about the same flame intensity as the A-6105 Torch. It can be attached to a B or MC Tank by means of Prest-O-Lite hose.

A-6100 Torch **$1.25**

A-6015 Stem for A-6100 Torch..... **.65**

A-6101 Torch is the same as the A-6100 Torch except that it has a union nut for attaching directly to an MC Tank.

A-6101 Torch **1.50**

A-6016 Stem for A-6101 Torch..... **.90**



Standard Soldering Irons

These soldering irons are capable of handling all but the heaviest operations. The mixer is located at the back of the handle, and the air-acetylene mixture flows to the tip through a continuous tube which is enclosed by other tubes. This construction keeps the gas mixture cool and assures a stable flame. A flame shield at the front end of the iron protects the flame from the wind.

Soldering coppers of efficient design are available in three types: the standard pointed-type, chisel-type, and a new hatchet-type which has proved a big timesaver on certain soldering operations.

05P50 Soldering Iron with needle valve and pointed-type copper **$6.50**

05P51 Soldering Iron with pointed-type copper (without needle valve) **5.25**

05P53 Soldering Iron Outfit includes 05P50 Soldering Iron with needle valve, 04P86 10-lb. Regulator, 6 ft. of ¼-in. Z-54 hose, and two A-963 Hose Clamps **12.25**

05P54 Soldering Iron Outfit includes 05P51 Soldering Iron, 04P86 10-lb. Regulator, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps **11.00**



Heavy-Duty Soldering Irons

The Prest-O-Lite Heavy-Duty Soldering Iron is the largest of the Prest-O-Lite soldering irons. It is used for medium to very heavy soldering—in motor repair shops and dairies, and by plumbers and furnace and casket manufacturers. It is a general utility iron in tinning, sheet-metal and electrical shops. Roofers use it for soldering clamps, braces and gutter linings. It is available with either a pointed-type copper or a chisel-type copper, and is equipped with a needle valve.

02P39 Heavy-Duty Soldering Iron with pointed-type copper **$12.50**

02P89 Heavy-Duty Soldering Iron with chisel-type copper **12.50**

02P55 Heavy-Duty Soldering Iron Outfit includes 02P39 Soldering Iron with pointed-type copper, 04P86 10-lb. Regulator, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps..... **18.25**

02P90 Heavy-Duty Soldering Iron Outfit includes 02P89 Soldering Iron with chisel-type copper, 04P86 10-lb. Regulator, 6 ft. of ¼-in. Z-54 Hose, and two A-963 Hose Clamps..... **18.25**

O-6102 Torch Combination

O-6102 Torch Combination includes the stems of the A-6100 and A-6101 Torches with a tip interchangeable on both stems.

O-6102 Torch Combination **$2.00**

L-6014 Torch Tip only..... **.75**

Prest-O-Lite Halide Leak Detector



The Prest-O-Lite Halide Leak Detector is a positive, sensitive device for locating leaks of non-combustible halide gases in refrigerating and air-conditioning units. These gases—such as F-12 (Freon), F-21, F-114 and Carrene—are relatively odorless, tasteless and colorless, properties which make necessary a quick, sure method of locating leaks.

The suction tube is used to explore places where a leak might occur. The flow of acetylene through the Leak Detector mixer causes any refrigerant gas present to be drawn through the tube into the burner where it decomposes into free acids. These acids come into contact with the hot copper reaction plate in the flame shield assembly, causing instant color reaction in the flame.

A green tint indicates a small concentration of gas. When a large amount of gas is present, the flame becomes an intense violet color. A leak sufficiently large to give off considerable gas can be exactly located by the variation in intensity of the flame color. After the source of the leak has been passed, the flame clears almost instantly. This sensitive reaction of the Prest-O-Lite Halide Leak Detector saves time in locating leaks and avoids waste of refrigerant gas and shutdowns of equipment.

Under no circumstances should the Prest-O-Lite Halide Leak Detector be employed for locating leaks of any combustible gas.

01P93 Halide Leak Detector Outfit, complete as shown with 3 ft. of ¼-in. Z-54 Hose, special 13B80 MC Tank Adaptor, and L-6341 Hose Nipple **$6.50**

The Prest-O-Lite Halide Leak Detector is furnished complete for mounting on a small Type MC Prest-O-Lite Gas Tank as illustrated. An A-3321 Tank Handle Assembly can be used for utmost convenience. A hose can be used from the tank to the Leak Detector for testing in places where space is limited. In this case a regulator must be used on the tank to prevent subjecting the hose to full cylinder pressure.



Replacement Parts for 01P93 Leak Detector

07R91 Flame Shield Assembly	$1.00
07R90 Mixer Assembly	2.00
07R75 Copper Reaction Plate	.35



Prest-O-Lite Laboratory Outfit

0-3319 Laboratory Outfit includes A-3647 Torch, A-1183 Hot Plate, A-2229 Bunsen Burner, 04P86 10-lb. Regulator, A-3316 Three-Way Branch Valve, ten A-963 Hose Clamps, and 18 ft. of ¼-in. Z-118 Red Gum Hose.

O-3319 Laboratory Outfit	**$25.00**
A-3316 Three-Way Branch Valve (mounted on wood base)	5.00
A-1183 One-Burner Hot Plate	7.00

The Prest-O-Lite Laboratory Outfit is ideal equipment for dentists and inventors and for school and professional laboratories. It is a compact, easily installed outfit, yet it permits the operation of three Prest-O-Lite devices at the same time from one tank.

The Hot Plate provides a means of heating water for sterilizing instruments or for other purposes. The A-3647 Torch is unexcelled for melting gold and other metals and for heating dental investments. It has a wide range of usefulness for all soldering, brazing and heating operations. The Bunsen Burner has many miscellaneous uses in everyday laboratory work.

Bunsen Burners

A-2229 ½ cu. ft. Bunsen Burner with Vessel Holder	$4.00
A-2231 1 cu. ft. Bunsen Burner with Vessel Holder	4.00
A-2232 1 cu. ft. Bunsen Burner only	3.25
L-2689 Vessel Holder only	.75

Printed in U.S.A. F-4422a P-11832

All prices are subject to change without notice.



Prest-O-Lite Regulators

A Prest-O-Lite Regulator enables a user to secure the exact flame which he desires, and to hold that flame without intermittent readjustment of the tank valve to compensate for reduced tank pressure. It saves time and gas. Each regulator is adjusted at the factory to deliver gas at a definite pressure—which is plainly stamped on the regulator cap. This delivery pressure may be reduced by adjustment of the needle valve in the regulator outlet.

04P86 10-lb. Regulator (for B Tanks)..... **$5.00**
04P85 5-lb. Regulator (for B Tanks)..... **5.00**
04P82 2-oz. Regulator (for B Tanks)..... **5.00**
05P92 10-lb. Regulator (for MC Tanks).... **5.00**
05P91 5-lb. Regulator (for MC Tanks).... **5.00**



Adaptors

To use a welding or cutting regulator on a Type B Prest-O-Lite Gas Tank, use

A-1614 A-to-W Adaptor..... **$1.50**

The 13B80 MC Tank-to-Detector Adaptor permits mounting the Prest-O-Lite Halide Leak Detector directly on the MC Tank. It is supplied with the Halide Leak Detector Outfit.

13B80 MC Tank-to-Detector Adaptor **0.75**

04P28 MC-to-A Adaptor permits the use of appliances with B Tank connections on an MC Tank.

04P28 MC-to-A Adaptor **2.00**



Double Control Valve

The Double Control Valve permits the use of two appliances from one tank. The valve attaches to a B Tank outlet. Each outlet can be controlled independently by the Prest-O-Lite tank valve key.

A-3696 Double Control Valve..... **$2.50**



O-6123 Flood Light

The Prest-O-Lite Portable Flood Light combines efficient illumination with convenience and portability. It is used by public utility companies, contractors, road and bridge builders, municipal fire and water departments, and for orchard spraying, outdoor meetings and amusement places. It produces a flood of clear, white light of about 4,000 candle power. It is freezeproof and will penetrate rain, steam, dust, fog or smoke to a remarkable degree. The reflector concentrates the light in a broad beam, strong on the sides as well as in front. The flow of gas is controlled by a key-operated tank valve and can be turned on and off like city gas.

O-6123 Flood Light (tank not included).... **$12.00**
A-3946 Burner Assembly for 0-6123 Flood Light **1.00**
L-6243 Reflector for 0-6123 Flood Light.... **4.00**



Stem and Burner

The Prest-O-Lite Stem and Burner attaches to a Type B or MC Prest-O-Lite Gas Tank and makes a portable light for indoor or outdoor use. It is used by contractors in unwired buildings and for similar emergency lighting purposes. Burners are twin-arm and are made in four sizes, rated at ½, ⅝, ¾ and 1 cubic foot per hour.

A-2485—Stem for B Tank with ½ cu. ft. Burner **$0.75**
A-2503—Stem for MC Tank, with ½ cu. ft. Burner ..... **.75**
A-845—Stem only for B Tank..... **.50**
A-846—Stem only for MC Tank..... **.50**
L-828 ½ cu. ft. Burner..... **.25**
L-829 ⅝ cu. ft. Burner..... **.25**
L-830 ¾ cu. ft. Burner..... **.25**
L-831 1 cu. ft. Burner..... **.25**



Friction Lighter

Convenient for lighting Prest-O-Lite appliances. Unaffected by the wind. The movable file increases the life several times.

	Each	In Doz. Lots
A-3710 Friction Lighter	$0.15	$1.50
L-3711 Renewal Tip	.10	1.00



Torch Stem and Mixer Assemblies

07R05 Stem and Mixer Assembly (for 04P27 Torch) $1.75
A-6085 Stem and Mixer Assembly (for A-6103 Torch) 1.75
A-6084 Stem and Mixer Assembly (for A-6104 Torch) 1.75
A-6086 Stem and Mixer Assembly (for A-6105 and A-6133 Torches) 1.90
A-6083 Stem and Mixer Assembly (for A-6106 Torch) 1.90
A-6089 Stem and Mixer Assembly (for A-6107 Torch) 1.90
04R33 Stem and Mixer Assembly (for 02P94 Torch) 2.25
10R87 Stem, Soldering Copper, and Mixer Assembly (for 06P64 and 07P28 Soldering Irons) 3.00
A-6091 Stem, Flame Spreader and Mixer Assembly (for A-6110 Paint Burner) 3.00

Stems

07R06 Stem only (for 04P27 Torch) $0.75
A-6068 Stem only (for A-6103 Torch) ..... .75
A-6071 Stem only (for A-6104 Torch) ..... .75
L-6074 Stem only (for A-6105 and A-6133 Torches) ..... .90
L-6067 Stem only (for A-6106 Torch) ..... .90
L-6079 Stem only (for A-6107 Torch) ..... .90
10S17 Stem only (for 02P94 Torch) 1.00
A-6237 Flame Spreader and Stem (for A-6110 Paint Burner) 2.00
L-6082 Flame Spreader only (for A-6110 Paint Burner) 1.25

Mixers

A-6231 Mixer only (for A-6103 and A-6104 Torches and 06P64 and 07P28 Soldering Irons) 1.00
A-6232 Mixer only (for A-6105 and A-6133 Torches) 1.00
A-6233 Mixer only (for A-6106 Torch and A-6110 Paint Burner) 1.00
A-6234 Mixer only (for 04P27 Torch) 1.00
A-6308 Mixer only (for A-6107 Torch) 1.00
03R83 Mixer only (for 02P94 Torch) 1.25



Soldering Coppers

23S32 Pointed-type Copper (for 06P64 and 07P28 Irons) $1.00
23S20 Chisel-type Copper (for 06P64 and 07P28 Irons) 1.00
23S55 Pointed-type Copper (for 05P50 and 05P51 Irons) 1.75
23S39 Chisel-type Copper (for 05P50 and 05P51 Irons) 1.75
23S40 Hatchet-type Copper (for 05P50 and 05P51 Irons) 2.00
10S37 Chisel-type Copper (for 02P89 Iron) . 2.50
07S52 Pointed-type Copper (for 02P39 Iron) . 2.50

03R59 Handle Assembly

03R59 Handle Assembly is for 02P39 and 02P89 Prest-O-Lite Heavy-Duty Soldering Irons.
03R59 Handle Assembly $2.00

A-6058 Torch Handle Assembly

A-6058 Torch Handle Assembly is for 04P27, A-6103, A-6104, A-6105, A-6106, A-6107 and 02P94 Torches, and 06P64 Soldering Iron, 5-in-1 Outfit and 4-in-1 Outfit.
A-6058 Torch Handle Assembly $1.00



A-6236 Torch Handle Assembly

A-6236 Handle Assembly is for A-6110 Paint Burner, A-6133 Plumber's Torch, 04P90 Torch Outfit, 05P76 Torch Outfit, 07P28 Soldering Iron and 01P93 Halide Leak Detector.
A-6236 Torch Handle Assembly $2.60
A-6300 Handle only (less Needle Valve and Hose Stem) 1.00



Needle Valves

A-6008 Needle Valve (for 05P50 Soldering Iron) $1.25
03R60 Needle Valve (for 02P39 and 02P89 Soldering Irons) 1.25
A-6254 Needle Valve (for all torches having A-6236 Handle Assembly) 1.25
08R55 Needle Valve (for all current regulators) 1.25



Hose Nipples

L-6341 Hose Nipple (for all torches having A-6236 Handle Assembly, 05P50 and 05P51 Soldering Irons, and 02P39 and 02P89 Soldering Irons) $0.35
L-6003 Hose Nipple (for all regulators) ..... .35





Wrenches

A-4983 Wheel Key for MC Tank $0.30
L-354 Wrench for MC Union ..... .25
L-505 Tank Key for B or MC Tank Valve .. .10
L-2734 Wrench for B Union ..... .25
L-6081 Wrench for 5-in-1 and 4-in-1 Outfits. .25

Printed in U.S.A. F-4423a P-11832

All prices are subject to change without notice.



Prest-O-Lite Hose and Hose Clamps

Prest-O-Lite Z-54 Hose is the highest grade rubber hose obtainable. The rubber is vulcanized into the fabric. The liberal gage of the corrugated cover protects it against damage and wear. The hose is lightweight and pliable, yet is very durable and is able to withstand high pressures. It is stamped with the trade-mark "Prest-O-Lite" every 10 feet. Supplied in one size, ¼-inch inside diameter.

Prest-O-Lite Hose Clamps prevent the hose from slipping off the hose nipples. They will not cut the rubber.

Z-54 ¼-in. 1-ply Red Fabric Hose, per ft.	$0.11
Z-118 ¼-in. Red Gum Hose, per ft.	.09
A-963 Hose Clamp, each	.05



MC Tank Unions

A-3881	Straight MC Union (includes L-475 Hex Nut and A-3880 Hose Stem)	$0.25
A-2345	Curved MC Union (includes L-475 Hex Nut and A-476 Hose Stem)	.25
L-475	Hex Nut	.20
A-3880	Straight Hose Stem	.15
A-476	Curved Hose Stem	.15

A-3260 Test Gauge



A-3295 Test Gauge Adaptor

The Prest-O-Lite A-3260 Test Gauge is used for testing the pressure in Type B Prest-O-Lite Gas Tanks. By means of the A-3295 Adaptor, the Test Gauge can also be used for testing the pressure in MC Gas Tanks. The A-3260 Test Gauge has a black metal case with plainly marked dial and heavy glass crystal.

A-3260 Test Gauge	8.50
A-3295 Test Gauge Adaptor	1.50



B Tank Union

A-3879	Straight B Union (includes L-470 Hex Nut and A-467 Hose Stem)	$0.30
L-470	Hex Nut	.20
A-467	Straight Hose Stem	.20



Prest-O-Lite Gas Tanks —in two convenient sizes— for use with Prest-O-Lite Appliances

Prest-O-Lite Gas Tanks

Style	Length	Diam.	Rated Cap.	Av. Wt.	Tank Price*	Ex. Price*
B	20 in.	6 in.	40 cu. ft.	30 lb.	$12.50	$2.75
MC	13½ in.	4 in.	10 cu. ft.	10 lb.	6.50	1.10

*Prices are F.O.B. Prest-O-Lite plants. Tank prices include tank, tank key and initial cost of gas. Exchange prices are for the gas only.

Prest-O-Lite Gas Tanks are steel cylinders charged with pure, dry acetylene which is ready for instant use at the turn of a valve. These small tanks contain no free acetylene. They are packed with a porous filler, which is saturated with a liquid chemical, capable of absorbing many times its own volume of acetylene. The acetylene in the tank is dissolved in this liquid solvent and remains in solution until the valve is opened, which permits the acetylene to be drawn off. The flow of acetylene is controlled by a key-operated valve and can be turned on and off with the same convenience as city gas. A gauge indicates what portion of the gas supply remains. Prest-O-Lite Gas is freeze-proof, and can be used in any kind of weather, both indoors and out. Prest-O-Lite Gas can be obtained at any of the hundreds of Prest-O-Lite Gas Exchange Service Stations located throughout the United States and Canada. Any of these stations will exchange an empty Prest-O-Lite Gas Tank for a full one. They will charge for the gas only.

Distributed by

The Linde Air Products Company

Unit of Union Carbide and Carbon Corporation

General Office: New York UCC Offices in Principal Cities

The word "Prest-O-Lite" is a registered trade-mark of a Unit of Union Carbide and Carbon Corporation.